



EA Concussion Protocols-Officials and OCs

Officials Seminar

What is concussion?

If in Doubt-Sit Them Out

Brain injury caused by a knock to the head or anywhere where the force is transmitted to the head

- involves temporary neurological impairment
- symptoms may evolve over hours or days after a fall
- Rest, followed by gradual return to activity is the main treatment
- All concussion is serious

Why concussion now?

If in Doubt-Sit Them Out

- Growing concern in Australia and internationally about the incidence of sport-related concussion and potential health ramifications for athletes.
- Concussion affects athletes at all levels of sport, from the part-time recreational athlete to the full-time professional
- Complications can occur including prolonged duration of symptoms and increased susceptibility to further injury
- Growing concern about potential long-term consequences of multiple concussions

Concussion in Children If in Doubt-Sit Them Out

- evidence supports a slower rate of recovery in children and adolescents aged 18 and under
- a more conservative approach to concussion is recommended,
- return to learn should take priority over return to sport
- School programs may need to include more regular breaks, rests and increased time to complete tasks
- no return to competitive activities less than 14 days from the resolution of all symptoms

What is EA doing?

If in Doubt-Sit Them Out

- EA fully supports the Sport Australia Concussion in Sport position statement
- That current Eventing protocol will be amended to be consistent with the Concussion in Sport position statement
- a similar protocol introduced to other disciplines effective July 1st 2019
- It will be implemented through a change to the EA General Regulations

Key points of Protocols

If in Doubt-Sit Them Out

- Upon recognition of suspected concussion, the athlete will be removed from further competition.
- If a medical practitioner is on site they should assess the athlete and decide if an athlete has suffered concussion-if no medical practitioner is on site the athlete will be assumed to have concussion
- The athlete must seek medical advice before returning to any activity and follow the Return to Sport Protocol as per Diagram 1 (diagram 2 for 18 years and younger) of the Concussion in Sport Australia position statement
- The athlete will be suspended from competition for at least 6 days (14 days for 18 years and younger) from the incident
- The athlete will be suspended from competition until they have written clearance to return by a medical practitioner

OC & Officials' Role

If in Doubt-Sit Them Out

- Advise- the medical/first aid service at the event of the requirements of the EA concussion protocol and the need to recognise ,report and make officials immediately aware of suspected concussions
- Be aware when a suspected concussion has occurred
- Remove the Athlete from further competition
- Advise OC to identify the “person monitoring” and ensure alternate transport arrangements are available (Athletes suspected of concussion must not drive)
- Provide the “person monitoring” a concussion advice card (where possible) and advise the athlete by email of the of the protocol (copy reporting@equestrian.org.au)
- Report the concussion to Reporting@equestrian.org.au

Which Official?

If in Doubt-Sit Them Out

Experience(in eventing) has shown that having one official designated to perform the duties on the previous slide works well

(Advise, Be Aware, Remove, Concussion Advice, Report)

Consultation with Discipline Committees has provided the following recommendations for the designated official

Discipline	Endurance	Jumping	Showhorse	Dressage	Vaulting	Driving	Eventing
Designated Official	Chief Steward	Jumping Judge	Show Secretary/ Event Co-ordinator	Dressage Event Organiser	GJ President or their nominee	Technical Delegate	Technical Delegate

Recognising Concussion *If in Doubt-Sit Them Out*

- Recognising concussion can be difficult
- Suspect concussion when an injury results in a knock to the head or body that transmits a force to the head
- A hard knock is not required—concussion can occur from relatively minor knocks.
- Medical Practitioners have specialised tools
- Officials, coaches, parents, first aiders use the [Concussion Recognition Tool 5](#) to help them recognise concussion

CRT5

If in Doubt-Sit Them Out

bjsports-2017-097508CRT5.full.hori.pdf - Adobe Acrobat Reader DC

File Edit View Window Help

Home Tools bjsports-2017-097... x ? Sign In

89.2%

Share

CONCUSSION RECOGNITION TOOL 5®

To help identify concussion in children, adolescents and adults

Supported by

RECOGNISE & REMOVE

Head impacts can be associated with serious and potentially fatal brain injuries. The Concussion Recognition Tool 5 (CRT5) is to be used for the identification of suspected concussion. It is not designed to diagnose concussion.

STEP 1: RED FLAGS – CALL AN AMBULANCE

If there is concern after an injury including whether ANY of the following signs are observed or complaints are reported then the player should be safely and immediately removed from play/game/activity. If no licensed healthcare professional is available, call an ambulance for urgent medical assessment:

- Neck pain or tenderness
- Double vision
- Weakness or tingling/ burning in arms or legs
- Severe or increasing headache
- Seizure or convulsion
- Loss of consciousness
- Deteriorating conscious state
- Vomiting
- Increasingly restless, agitated or combative

Remember:

- In all cases, the basic principles of first aid (danger, response, airway, breathing, circulation) should be followed.
- Assessment for a spinal cord injury is critical.
- Do not attempt to move the player (other than required for airway support) unless trained to do so.
- Do not remove a helmet or any other equipment unless trained to do so safely.

If there are no Red Flags, identification of possible concussion should proceed to the following steps:

STEP 2: OBSERVABLE SIGNS

Visual clues that suggest possible concussion include:

- Lying motionless on the playing surface
- Slow to get up after a direct or indirect hit to the head
- Disorientation or confusion, or an inability to respond appropriately to questions
- Blank or vacant look
- Balance, gait difficulties, motor incoordination, stumbling, slow laboured movements
- Facial injury after head trauma

© Concussion In Sport Group 2017

STEP 3: SYMPTOMS

- Headache
- "Pressure in head"
- Balance problems
- Nausea or vomiting
- Drowsiness
- Dizziness
- Blurred vision
- Sensitivity to light
- Sensitivity to noise
- Fatigue or low energy
- "Don't feel right"
- More emotional
- More irritable
- Sadness
- Nervous or anxious
- Neck Pain
- Difficulty concentrating
- Difficulty remembering
- Feeling slowed down
- Feeling like "in a fog"

STEP 4: MEMORY ASSESSMENT

(IN ATHLETES OLDER THAN 12 YEARS)

Failure to answer any of these questions (modified appropriately for each sport) correctly may suggest a concussion:

- "What venue are we at today?"
- "Which half is it now?"
- "Who scored last in this game?"
- "What team did you play last week/game?"
- "Did your team win the last game?"

Athletes with suspected concussion should:

- Not be left alone initially (at least for the first 1-2 hours).
- Not drink alcohol.
- Not use recreational/ prescription drugs.
- Not be sent home by themselves. They need to be with a responsible adult.
- Not drive a motor vehicle until cleared to do so by a healthcare professional.

The CRT5 may be freely copied in its current form for distribution to individuals, teams, groups and organisations. Any revision and any reproduction in a digital form requires approval by the Concussion In Sport Group. It should not be altered in any way, rebranded or sold for commercial gain.

ANY ATHLETE WITH A SUSPECTED CONCUSSION SHOULD BE IMMEDIATELY REMOVED FROM PRACTICE OR PLAY AND SHOULD NOT RETURN TO ACTIVITY UNTIL ASSESSED MEDICALLY, EVEN IF THE SYMPTOMS RESOLVE

© Concussion In Sport Group 2017

Export PDF

Create PDF

Edit PDF

Comment

Combine Files

Organize Pages

Redact

Protect

Optimize PDF

Fill & Sign

Adobe Sign

Convert and edit PDFs with Acrobat Pro DC

Start Free Trial

BJSW Online First, published on April 26, 2017 as 10.1136/bjsports-2017-097508CRT5
 To download a clean version of the SCAT tool please visit the journal online (http://dx.doi.org/10.1136/bjsports-2017-097508CRT5)

© Concussion In Sport Group 2017
 Davis GA, et al. *Br J Sports Med* 2017;01:1. doi:10.1136/bjsports-2017-097508CRT5
 Produced by BMJ Publishing Group Ltd under a Creative Commons Attribution by Licence

Resources

If in Doubt-Sit Them Out

- Concussion in Sport Website

<https://www.concussioninsport.gov.au/>

- FEI Concussion Recognition and Management

<https://inside.fei.org/fei/your-role/medical-safety/concussion>

- CRT5

<https://sportconcussion.com.au/wp->

[content/uploads/2016/02/Concussion_Recognition_Tool5.pdf](https://sportconcussion.com.au/wp-content/uploads/2016/02/Concussion_Recognition_Tool5.pdf)

- EA Concussion Advice Card

<https://www.equestrian.org.au/officials/eventing>

- EA Concussion email advice (currently set for existing eventing protocol but will be changed mid june)

<https://www.equestrian.org.au/officials/eventing>

Questions?

If in Doubt-Sit Them Out