



## **Equestrian Australia Equipment Annex**

In conjunction with Section 5 of the Current Equestrian Australia Dressage Rules, the Equestrian Australia Dressage Committee seeks to provide the following information for clarification of permitted and non-permitted equipment for **all dressage competition**. This document is not intended to imply approval if the target item of equipment is not listed. The Dressage Rules provide clear guidelines as to the equipment permitted. Wherever possible, the EADC is guided by rulings from the EADC and FEI Equipment Committees.

For additional equipment queries, please do not hesitate to fill in the query application form (<u>found here</u>) or for information please do not hesitate to contact the Equestrian Australia National office <u>karen.myers@equestrian.org.au</u>

This document will be updated as required.

## Version 20 – Updated: 10 September 2022, Effective 1 January 2023

Index

- Section 1. Bit Rings/Cheeks
- Section 2. Bits/Mouthpieces
- Section 3. Bridles & Nosebands
- Section 4. Competition Wear
- Section 5. Saddles and Stirrups
- Section 6. Additional Equipment & Accessories
- Section 7. Horse Boots
- Section 8. Spurs





Section 1	BIT RINGS/CHEEKS (refer EA dressage rules 5.11)	STATUS
Hanging Cheek/Baucher	Jan and	<
Hanging Cheek with rotating arms/mouthpiece		Elimination
Hanging cheek with cheek piece attached to the mouthpiece and a loose ring		Elimination
Small Cheeks (There are no maximum or minimum sizes for the length of cheeks for snaffles.)		
Eggbutt Cheeks	00	<
Variant of Eggbutt cheeks	INSERT VARIAT OF EGGBUTT CHEEKS	
Loose ring	$\sim$	~
Loose Ring with sleeve fitted around part of the ring	Q.J	





Full cheek with extra rings	G	Elimination
Shaped sleeved Cheeks		Elimination
Full cheek / Fulmer / Upper Cheek	d of d	
D-ring		
Various gag cheeks	88 9 8	Elimination
Myler (or similar) Cheeks for use With hooks	B	Elimination
Bevel Bit/Cheeks	9	Elimination





Section 2	BITS /MOUTHPIECES	STATUS
Ported Unjointed bit	$\sim$	1
Mullen Mouth	GO	1
Flexible Mullen Mouth	0-00-0	1
Double Jointed Snaffle		
Single jointed Snaffle (including lock up)		Lock up snaffle
	$\sim$	<b>must not</b> to be used with a double bridle
Bits with a control plate as centre link		
		Elimination
Cable double Jointed.		Must not be used with a double bridle





Cable Single Jointed		Must not be used with a double bridle
Ported barrel		
B-ring snaffle	and the second s	Elimination
Dr Bristol		Elimination
Mouthpiece with rotating middle piece		
Elliptical central joint		
Turtle Top Snaffle		





Example of non-rigid bit		Elimination
Myler permitted Snaffles		
Jointed bit with ball		
Pinchless Snaffle (central joint must have rounded edges)		Elimination
Happy Mouth Straight bar (Bits must have a smooth surface.)		Elimination
Beris Mullen Straight bar (Bits must have a smooth surface.)		Elimination
Mouthpiece with holes (Bits must have a smooth surface.)	INSERT MOUTH PIECE WITH HOLES – FEI pg 30	Elimination





Flexible Mullen		
Straight bar		S 2
with lip guards		Elimination
Plastic covered		
Weymouth	d b	
Curb with downward	0	
height deviation	X X	2
(The deviation may be forward but not downwards)		Elimination
Weymouth (largest and smallest ports		5
illustrated). (Refer to measuring bits section below)	5 5 5 5	
Jointed, rotating	0 0 0	~
mouthpiece on a curb (The rules do not allow		
for a jointed curb or a curb with rotation in the mouthpiece.)	5	Elimination
Curb bits with a ported/tilted		
mouthpiece.		
(The deviation may be		
forward but not downwards)		





Curb chain clasp (Curb chain hooks can be fixed or not fixed.)		
Various mouthpieces not permitted		Elimination
Bits with interference on the rings	Concerned and the second of th	Elimination
Coloured Bits		Two mark deduction
Bit guards		Elimination
Bit clips on ergonomic bridles		Elimination





Measuring Bits for maximum deviation (top image)	maximum 30mm minimum 30mm	Maximum height = 30mm Minimum width = 30mm
Measuring diameter of bits <b>(bottom image)</b>	Port deviation measurements	
Additions to bit (Bits may only be covered with rubber or latex.)		Elimination
Bit Tape to cover the mouthpiece (latex or rubber)	Inter Bandage	
Bit Tape to create a bit guard		Elimination





**STATUS** 

### Section 3 E

# BRIDLES & NOSEBANDS

### ALL BRIDLES MUST HAVE A THROAT LASH

### **Equestrian Australian Dressage Committee Statement**


The Equestrian Australian Dressage Committee (EADC) wishes to reiterate that welfare of the horse is paramount in all

that it does, whether developing rules for the sport or in training of its dressage stewards and judges – an active on-going


#### program.

Nosebands that are too tightly fitted regardless of type are never acceptable. Nosebands must never be used in such a way that they interfere with a horse's breathing. Riders failing to loosen a noseband on request from a steward or judge will be **eliminated**.

- Noseband checking is done by a steward. It must be possible to place at least **one** finger between the horse's cheek and the noseband. *See illustration below.*
- Nosebands can be checked prior to or after the completion of a test
- Not all nosebands are required to be checked, if a visual assessment confirms that the noseband is **not** too tight.
- During a test if the Judge believes a noseband is too tight, they must at the end of the test instruct the rider to return to the gear check. The Steward must report back to the judge after checking the noseband.
- When checking bridle/noseband the steward must wear two clean disposable gloves
- The checking of the bridle/noseband must be done with the greatest caution, as some horses are very touchy and sensitive. Stewards must keep in mind that the safety and welfare of the horse and the Athlete are our highest priority and concern!
- The execution of adjustment of equipment must be done by the rider or the groom and **not** the steward.
- If the noseband is deemed too tight by a steward in warm up and is not loosened when requested a Yellow Warning Card will be issued.



Measuring a cavason noseban



Measuring a flash or drop noseband 1





Bridles with anatomical/padded headpiece		
PS of Sweden noseband (with throat lash)		
PS of Sweden Nirak (with Throat lash)	JAN .	
PS Of Sweden Noseband, (with Throat Lash)	PS of Sweden Noseband, only used WITH throat latch	
PS of Sweden High Jump Bridle	High Jump bridle with throat latch. Without elastic connections to the bit	





PS of Sweden Jump Off Bridle	Jump Off bridle with throat latch. Without elastic connections to the bit	
PS of Sweden (Elastic Concept)	Flastic Concept for rein and cheek piece   When have attached a durable and strong   Bastic isto that is attached to the leastic   Bustic is placed up here on   Under the keeper.   Leather   Leather   The bit will only and always be in   anything else.	
Bridles with D Rings at the Poll	PS of Sweden, 7th of March 2017	
Tota Comfort system noseband		





Noseband with metal sliding system attached to cheek piece Except for buckles and padding the headstall and noseband must be entirely of leather or leather-like material.		Elimination
Stubben Snaffle Bridle 2500 Freedom	The provide a sector of	
Passier Fortuna Double Bridle (Elastic Insert in Neckband, under Browband)		
Bridle with double throat lash		Elimination
Micklem Bridle		





St Zaum Bridle May be used with a double bridle if the lower strap of the nose band is removed.	
Dyon X-Fit Anatomic	
Dyon Double	Elimination
Added Padding on Bridle	Elimination





Blinkers of any type, including wool padding on cheek piece		Elimination
Double Cavesson Noseband		Elimination
Cornell Collar	Figure 2 Figure 2 Figure 2 Figure 2 Figure 2 Figure 2	Elimination
Three way noseband		Elimination
Elastic Reins		Elimination





Reins with hand stoppers (considered a	*
gadget)	Elimination





Section 4	COMPETITION WEAR	STATUS
Bright colours such as red, orange, pink, yellow, lime green, and wide contrast stripes and multi-coloured jackets and coats are not permitted. (Examples shown)		Two mark deduction
Top hats are not permitted at any level		Elimination
Mirrored Helmets (dark reflective helmets are permitted)		Two mark deduction
Sleeveless Riding Jackets		
Coloured riding boots		Two mark deduction





Full length laced boots		
Full Length Zipped Boots with Coloured Piping		Two mark deduction
Embossing /decoration at the top of the Top Boot <b>only</b> is permitted but must be in the same colour scheme as the boot. The same applies to the cantle of the saddle.		
Boots can be of smooth or smooth embossed surface. A neat and discrete zip on the outside area of the boot/chap is permitted.		
Coloured piping is permitted if it matches the piping on the Riding Jacket & or saddle		





Large buckles at the ankle of the boot are considered a safety issue and are not allowed		Elimination
Riding boots <b>must</b> have heels		





Section 5	SADDLES AND STIRRUPS	STATUS
*Stock Saddles *Western Saddles *Jumping Saddles *Iberian Saddles not illustrated		Elimination
Stirrups & leathers must be fitted to the outside saddle flap		
Magnetic Stirrups		Elimination
Coloured & rainbow Stirrups		Two mark deduction
Velcro straps to Stirrups		Elimination
Step-up Stirrups		Elimination











Section 6	ADDITIONAL EQUIPMENT & ACCESSORIES	
Ear bonnet/hoods but, must not be attached to the noseband (no additional insulation & no ear plugs allowed)		
Tight fitting Head cover or Titanium hoods		Elimination
Fly Masks		Elimination
Nose net		(only permitted with an EADC exemption)
Body bandage or similar. (Spur pad/protection)		Elimination
Electronic devices / headsets		Permitted in warm-up only





Kinesiology Tape (not permitted in competition)	Elimination
Exercise sheets	Although permitted in warm-up
Arabian Martingale (not allowed on grounds)	Elimination





Section 7	HORSE BOOTS / SHOES	STATUS
Boots or Bandages that cover the hoof		Elimination
Glu on Shu's		Elimination
Polyurethane shoes		
Hoof boots		Warm-up only
Nailed or Glued shoes (must not cover more of the hoof wall than that of a nailed shoe. Bulbs of the heel & full circumference of coronary band must be visible)		





Section 8	SPURS	STATUS
Spurs with a Rowel in the Vertical Plane (must be blunt)		
Sharp Segmented Rowel Spurs		Elimination
Spurs with rowels in the horizontal (must be blunt & smooth)		1
Swan Neck Spurs (Fitted as illustrated)		-
Smart Clix Spurs		
Soft Touch Spurs		1
Coloured Spurs		Two mark deduction
Hard plastic Spurs	S	
Spurs without a shank		1





Spurs with side rowels	E	Elimination
Bent Shank on Spurs		Elimination
Spursuader Spurs		Elimination
Spurs with extension at the back	Cefair as	Elimination